# VOLUME 34 CONTENTS

## Vol. 34, No. 1


| | | |
|---|---|---|
| **M. S. Söylemez** | 1 | On the effective thermal conductivity of building bricks |
| **K. C. Chung** | 7 | Three-dimensional analysis of airflow and contaminant particle transport in a partitioned enclosure |
| **C. Lombard** and **E. H. Mathews** | 19 | A two-port envelope model for building heat transfer |
| **S. M. Dissanayaka** and **M. M. Kumaraswamy** | 31 | Comparing contributors to time and cost performance in building projects |
| **D. G. Proverbs, G. D. Holt** and **P. O. Olomolaiye** | 43 | A method for estimating labour requirements and costs for international construction projects at inception |
| **M. Y. L. Chew, S. H. Goh, L. H. Kang** and **N. Tan** | 49 | Applicability of infrared spectroscopy for sealant degradation studies |
| **C. Y. Shaw, V. Salares, R. J. Magee** and **M. Kanabus-Kaminska** | 57 | Improvement of indoor air quality in four problem homes |
| **F. Garde, H. Boyer** and **J. C. Gatina** | 71 | Elaboration of global quality standards for natural and low energy cooling in French tropical island buildings |
| **M.-S. Wang** and **H.-T. Chien** | 85 | Environmental behaviour analysis of high-rise building areas in Taiwan |
| **W. M. G. Burdzik** and **M. R. Hull** | 95 | Mixed structures—A case study of a portal frame in concrete and timber |


## Vol. 34, No. 2


| | | |
|---|---|---|
| **J. O. Afolayan** | 101 | Economic efficiency of glued joints in timber truss systems |
| **M. Qamaruddin** | 109 | In-plane stiffness of shear walls with openings |
| **A. Laouadi** and **M. R. Atif** | 129 | Comparison between computed and field measured thermal parameters in an atrium building |
| **H. R. Thomas** and **S. W. Rees** | 139 | The thermal performance of ground floor slabs—a full scale in-situ experiment |
| **M. A. Salau** and **L. A. Balogun** | 165 | Shrinkage deformations of laterized concrete |
| **H. Rivard, C. Bédard, K. H. Ha** and **P. Fazio** | 175 | Shared conceptual model for the building envelope design process |
| **R. L. Sawhney, D. Buddhi** and **N. M. Thanu** | 189 | An experimental study of summer performance of a recirculation type underground airpipe air conditioning system |
| **D. G. Proverbs, G. D. Holt** and **P. O. Olomolaiye** | 197 | Factors impacting construction project duration: a comparison between France, Germany and the U.K. |
| **A. Korpi, A.-L. Pasanen** and **H. Viitanen** | 205 | Volatile metabolites of *Serpula lacrymans, Coniophora puteana, Poria placenta, Stachybotrys chartarum* and *Chaetomium globosum* |
| **T. C. W. Tung, C. Y. H. Chao, J. Burnett, S. W. Pang** and **R. Y. M. Lee** | 213 | A territory wide survey on indoor particulate level in Hong Kong |
| **U. Ikejiofor** | 221 | If past traditions were building blocks. A perspective on low income housing development in Nigerian cities |

## Vol. 34, No. 3


| | | |
|---|---|---|
| **A.-S. Choi** and **R. G. Mistrick** | 231 | Analysis of daylight responsive dimming system performance |
| **H. Xue** and **C. Shu** | 245 | Mixing characteristics in a ventilated room with non-isothermal ceiling air supply |
| **M. A. Kassem, S. Kaseb** and **M. F. El-Refaie** | 253 | Solar heat gain through vertical cylindrical glass |
| **C. Kabre** | 263 | WINSHADE: A computer design tool for solar control |
| **M. Cheng, G. R. Liu, K. Y. Lam, W. J. Cai** and **E. L. Lee** | 275 | Approaches for improving airflow uniformity in unidirectional flow cleanrooms |
| **A. K. Yener** | 285 | A method of obtaining visual comfort using fixed shading devices in rooms |
| **M. D. Sohn** and **M. J. Small** | 293 | Parameter estimation of unknown air exchange rates and effective mixing volumes from tracer gas measurements for complex multi-zone indoor air models |
| **N. K. Bansal, Shail** | 305 | Characteristic parameters of a hypocaust construction |
| **C. Y. H. Chao, T. C. W. Tung, J. L. Niu, S. W. Pang** and **R. Y. M. Lee** | 319 | Indoor perchloroethylene accumulation from dry cleaned clothing on residential premises |
| **M. T. Karimipanah** | 329 | Deflection of wall-jets in ventilated enclosure described by pressure distribution |
| **R. J. Cole** | 335 | Energy and greenhouse gas emissions associated with the construction of alternative structural systems |
| **M. J. Cunningham** | 349 | Development and performance of a small relative humidity sensor for indoor microclimate measurements |
| **B. J. Taylor, R. Webster** and **M. S. Imbabi** | 353 | The building envelope as an air filter |
| **J. C. Burgess** | 363 | The history, scientific basis and application of international IGU durability tests |
| **A. J. Klemm** and **W. Marks** | 369 | Muticriteria optimisation of polymer modified composites subjected to freezing and thawing cycles |


## Vol. 34, No. 4


| | | |
|---|---|---|
| **F. Haghighat** and **Y. Zhang** | 377 | Modelling of emission of volatile organic compounds from building materials—estimation of gas-phase mass transfer coefficient |
| **E. H. Mathews** and **D. T. Claassen** | 391 | Problems with the Static Regain method |
| **A. K. Athienitis** | 401 | Thermal analysis of buildings in a mathematical programming environment and applications |
| **X. Wang, Z. Chen, C. Yang** and **Y. Chen** | 417 | Gray predicting theory and application of energy consumption of building heat-moisture system |
| **M. O. Jannadi** | 421 | Feasibility assessment of the construction of a purified water treatment facility |
| **E. H. Mathews, E. van Heerden** and **D. C. Arndt** | 429 | A tool for integrated HVAC, building, energy and control analysis Part 1: overview of QUICKcontrol |
| **E. H. Mathews** and **E. van Heerden** | 451 | A tool for integrated HVAC, building, energy and control analysis Part 2: control simulations with QUICKcontrol |

**T. Hong, S. K. Chou** and **T. Y. Bong** 469 A design day for building load and energy estimation

**F. Haghighat** and **G. Donnini** 479 Impact of psycho-social factors on perception of the indoor air environment studies in 12 office buildings

**E. H. Mathews, M. Kleingeld** and **P. B. Taylor** 505 Estimating the electricity savings effect of ceiling insulation

**J. A. Clarke, C. M. Johnstone, N. J. Kelly, R. C. McLean, J. A. Anderson, N. J. Rowan** and **J. E. Smith** 515 A technique for the prediction of the conditions leading to mould growth in buildings

## Vol. 34, No. 5

**M. J. Cunningham** 523 Modelling of some dwelling internal microclimates

**I. Budaiwi, R. El-Diasty** and **A. Abdou** 537 Modelling of moisture and thermal transient behaviour of multi-layer non-cavity walls

**W. K. Chow** and **L. T. Wong** 553 Local air speeds measurement in mechanically ventilated spaces

**S. Raeissi** and **M. Taheri** 565 Energy saving by proper tree plantation

**P. Mazzei** and **A. Palombo** 571 Economic evaluation of hybrid evaporative technology implementation in Italy

**T. Schneider, J. Kildesø** and **N. O. Breum** 583 A two compartment model for determining the contribution of sources, surface deposition and resuspension to air and surface dust concentration levels in occupied rooms

**S. K. Roy, K. B. Poh** and **D. O. Northwood** 597 Durability of concrete—accelerated carbonation and weathering studies

**S. T. Ng** and **R. M. Skitmore** 607 Client and consultant perspectives of prequalification criteria

**H. I. Al-Abdul Wahhab, M. Fatani, I. Al-Dubabe, A. Bubshait** and **A. S. Noureldin** 623 Design and maintenance criteria for Saudi bituminous concrete mixes

**D. W. M. Chan** and **M. M. Kumaraswamy** 633 Forecasting construction durations for public housing projects: a Hong Kong perspective

647 Erratum

I Announcements

## Vol. 34, No. 6

**M. A. Eben Saleh** 649 Al-Alkhalaf: the evolution of the urban built-form of a traditional settlement in Southwestern Saudi Arabia

**C. M. Ghiaus** and **A. G. Ghiaus** 671 Evaluation of the indoor temperature field using a given air velocity distribution

**S. Wang** 681 Dynamic simulation of building VAV air-conditioning system and evaluation of EMCS on-line control strategies

**G. R. Hunt** and **P. F. Linden** 707 The fluid mechanics of natural ventilation—displacement ventilation by buoyancy-driven flows assisted by wind

| | | |
|---|---|---|
| **A. Cripps** | 721 | Solutions to a mixed boundary problem for soil gas flow |
| **A. Cripps** | 727 | Conformal mapping of a solution to a mixed boundary problem for soil gas flow |
| **A. Cripps** | 735 | Comparing solutions to soil gas flow problems with experiment and another solution |
| **S. Gwynne, E. R. Galea, M. Owen, P. J. Lawrence** and **L. Filippidis** | 741 | A review of the methodologies used in the computer simulation of evacuation from the built environment |
| **D. J. Harris** | 751 | A quantitative approach to the assessment of the environmental impact of building materials |
| **Y. Lo, X. F. Gao** and **A. P. Jeary** | 759 | Microstructure of pre-wetted aggregate on lightweight concrete |
| **A. Fewkes** | 765 | The use of rainwater for WC flushing: the field testing of a collection system |
| | I | Call for Papers |
| | III | Volume Contents and Author Index for Volume 34, 1999 |